# Author Index


Albeck, H., see Chou, J. Z. 613(1993)359
Asami, M., see Takasaki, W. 613(1993)67
Baars, A. M., see De Groot, A. N. J. A. 613(1993)158
Barnes, C. S., Upadrashta, B., Pacheco, F. and Portnoy, J.
Enhanced sensitivity of immunoblotting with peroxidase-conjugated antibodies using an adsorbed substrate method 613(1993)281
Beaudouin, C., Haurat, G., Fraisse, L., Souppe, J. and Renaud, B.
Assay of phenylethanolamine N-methyltransferase activity using high-performance liquid chromatography with ultraviolet absorbance detection 613(1993)51
Becker, H.-D., see Cichy, M. A. 613(1993)15
Berger, M., see Polverelli, M. 613(1993)257
Bessard, G., see Jourdil, N. 613(1993)59
Besserer, K., see Franzelius, C. 613(1993)162
Botterblom, M. H. A., Feenstra, M. G. P. and Erdtsieck-Ernste, E. B. H. W.
Determination of propranolol, labetalol and clenbuterol in rat brain by high-performance liquid chromatography 613(1993)121
Branch, R. A., see Stiff, D. D. 613(1993)127
Brazier, J.-L., see Chaulet, J.-F. 613(1993)303
Bren, N., see O'Brien, T. 613(1993)239
Buithieu, J., see O'Brien, T. 613(1993)239
Bygbjerg, I. C., see Lemnge, M. M. 613(1993)340
Cadet, J., see Polverelli, M. 613(1993)257
Carter, G., see Hamilton, C. L. 613(1993)365
Cashaw, J. L.
Determination of tetrahydropapaveroline in the urine of Parkinsonian patients receiving L-dopa–carbidopa (Sinemet) therapy by high-performance liquid chromatography 613(1993)267
Chaffins, S., see Holmes, K. A. 613(1993)317
Chang, W.-C., see Pan, F.-M. 613(1993)326
Chang, W.-H., see Chung, M.-C. 613(1993)168
Chaulet, J.-F., Robet, Y., Prevosto, J.-M., Soares, O. and Brazier, J.-L.
Simultaneous determination of chloroquine and quinine in human biological fluids by high-performance liquid chromatography 613(1993)303
Chen, X.-H., Franke, J.-P., Ensing, K., Wijsbeek, J. and De Zeeuw, R. A.
Semi-automated solid-phase extraction procedure for drug screening in biological fluids using the ASPEC system in combination with Clean Screen DAU columns 613(1993)289
Chiba, H., Ito, Y., Matsuno, K., Kobayashi, K., Kurosawa, T. Ikegawa, S., Mahara, R. and Tohma, M.
Determination of urinary 18-hydroxycortisol by isocratic normal-phase high-performance liquid chromatography 613(1993)132
Chou, J. Z., Albeck, H. and Kreek, M. J.
Determination of nalmefene in plasma by high-performance liquid chromatography with electrochemical detection and its application in pharmacokinetic studies 613(1993)359
Chu, S.-y., see Hussein, Z. 613(1993)105
Chu, S.-y., see Hussein, Z. 613(1993)113
Chung, M.-C., Lin, S.-K., Chang, W.-H. and Jann, M. W.
Determination of clozapine and desmethylclozapine in human plasma by high-performance liquid chromatography with ultraviolet detection 613(1993)168
Cichy, M. A., Stegmeier, D. L., Veening, H. and Becker, H.-D.
High-performance liquid chromatographic separation of biogenic polyamines using 2-(1-pyrenyl)ethyl chloroformate as a new fluorogenic derivatizing reagent 613(1993)15
Corona, G. L., see Paolillo, M. 613(1993)231
De Groot, A. N. J. A., Vree, T. B., Hekster, Y. A., Baars, A. M., Van den Biggelaar-Martea, M. and Van Dongen, P. W. J.
High-performance liquid chromatography of ergometrine and preliminary pharmacokinetics in plasma of men 613(1993)158
Demetriou, D., see Rustemeier, K. 613(1993)95
De Zeeuw, R. A., see Chen, X.-H. 613(1993)289
Dill, D. N. and Eilbacher, B.
Gas chromatographic–mass spectrometric method for the determination of bifemelane in human plasma at therapeutic doses 613(1993)150
Doig, M. T. and Smiley, J. W.
Direct injection assay of angiotensin-converting enzyme by high-performance liquid chromatography using a shielded hydrophobic phase column 613(1993)145
Drnevich, D. and Vary, T. C.
Analysis of physiological amino acids using dabsyl derivatization and reversed-phase liquid chromatography 613(1993)137
Eilbacher, B., see Dill, D. N. 613(1993)150
Engel, R., see Leenheers, L. H. 613(1993)89
Ensing, K., see Chen, X.-H. 613(1993)289
Erdtsieck-Ernste, E. B. H. W., see Botterblom, M. H. A. 613(1993)121
Feenstra, M. G. P., see Botterblom, M. H. A. 613(1993)121
Flachs, H., see Lemnge, M. M. 613(1993)340
Fraisse, L., see Beaudouin, C. 613(1993)51
Franke, J.-P., see Chen, X.-H. 613(1993)289
Franzelius, C. and Besserer, K.
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162
Frye, R. F., see Stiff, D. D. 613(1993)127
Georgi, G., Pietsch, C. and Sawatzki, G.
High-performance liquid chromatographic determination of amino acids in protein hydrolysates and in plasma using automated pre-column derivatization with *o*-phthaldialdehyde/2-mercaptoethanol 613(1993)35
González-Esquivel, D. F., Morano Okuno, C., Sánchez Rodríguez, M., Sotelo Morales, J. and Jung Cook, H.
Sensitive high-performance liquid chromatographic assay for praziquantel in plasma, urine and liver homogenates 613(1993)174

Granneman, G. R., see Hussein, Z. 613(1993)105
Granneman, G. R., see Hussein, Z. 613(1993)113
Hallaway, B. J., see O'Brien, T. 613(1993)239
Hamamura, M., see Yoshimura, Y. 613(1993)43
Hamilton, C. L., Kirkwood, J. A., Carter, G. and Williams, R. S.
Sensitive liquid chromatographic method for the determination of a specific M1 agonist, LY246708, an investigational agent with potential for the treatment of Alzheimer's disease, in human plasma 613(1993)365
Hariharan, M., Naga, S., VanNoord, T. and Kindt, E. K.
Assay of human plasma cortisone by liquid chromatography: normal plasma concentrations (between 8 and 10 a.m.) of cortisone and corticosterone 613(1993)195
Haurat, G., see Beaudouin, C. 613(1993)51
Hauss, D. J., Martin, P. J., Mehta, S. C. and Radebaugh, G. W.
Determination of 2,2-dimethyl-N-(2,4,6-trimethoxyphenyl)dodecanamide, a lipid regulator, in rat plasma and mesenteric lymph by reversed-phase high-performance liquid chromatography 613(1993)336
Hayashi, R., see Takasaki, W. 613(1993)67
He, B., see Yoshida, T. 613(1993)185
Hekster, Y. A., see De Groot, A. N. J. A. 613(1993)158
Higuchi, S., see Uchida, T. 613(1993)179
Holmes, K. A., Chaffins, S., Osborn, B. L., Liotta, L. A. and Kohn, E. C.
Quantitation of human plasma levels of the anticancer agent carboxyamidotriazole by high-performance liquid chromatography 613(1993)317
Honda, A., see Yoshida, T. 613(1993)185
Hoppel, C. L., see Minkler, P. E. 613(1993)203
Hoshiyama, K., see Takasaki, W. 613(1993)67
Hussein, Z., Chu, S.-y. and Granneman, G. R.
High-performance liquid chromatographic method for determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine 613(1993)105
Hussein, Z., Chu, S.-y. and Granneman, G. R.
Enantioselective determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine using high-performance liquid chromatography 613(1993)113
Ikegawa, S., see Chiba, H. 613(1993)132
Ito, Y., see Chiba, H. 613(1993)132
Jann, M. W., see Chung, M.-C. 613(1993)168
Jongen, M. J. M., see Leenheers, L. H. 613(1993)89
Jourdil, N., Pinteur, B., Vincent, F., Marka, C. and Bessard, G.
Simultaneous determination of trimipramine and desmethyl- and hydroxytrimipramine in plasma and red blood cells by capillary gas chromatography with nitrogen-selective detection 613(1993)59
Jung Cook, H., see González-Esquivel, D. F. 613(1993)174
Kajita, M., Niwa, T., Takeda, N., Yoshizumi, H., Tatematsu, A., Watanabe, K. and Nagatsu, T.
Presence of N-methyldopamine in parkinsonian and normal human brains 613(1993)1
Kato, Y., see Niwa, T. 613(1993)9
Kawabata, K., see Takasaki, W. 613(1993)67
Kindt, E. K., see Hariharan, M. 613(1993)195
Kirkwood, J. A., see Hamilton, C. L. 613(1993)365
Kita, M., see Tanishima, K. 613(1993)275
Klein, L., see O'Brien, T. 613(1993)239
Kobayashi, K., see Chiba, H. 613(1993)132
Kobayashi, N., see Yoshida, T. 613(1993)185
Kohn, E. C., see Holmes, K. A. 613(1993)317
Konkol, R. J., see Murphey, L. J. 613(1993)330
Kottke, B. A., see O'Brien, T. 613(1993)239
Kotz, R., see Mader, R. M. 613(1993)311
Kreek, M. J., see Chou, J. Z. 613(1993)359
Kühn, I., see Valenta, H. 613(1993)295
Kurosawa, T., see Chiba, H. 613(1993)132
Leenheers, L. H., Engel, R., Spruit, W. E. T., Meuling, W. J. A. and Jongen, M. J. M.
Determination of methyl 5-hydroxy-2-benzimidazole carbamate in urine by high-performance liquid chromatography with electrochemical detection 613(1993)89
Lemnge, M. M., Rønn, A., Flachs, H. and Bygbjerg, I. C.
Simultaneous determination of dapsone, monoacetyldapsone and pyrimethamine in whole blood and plasma by high-performance liquid chromatography 613(1993)340
Lin, S.-K., see Chung, M.-C. 613(1993)168
Liotta, L. A., see Holmes, K. A. 613(1993)317
Mader, R. M., Rizovski, B., Steger, G. G., Rainer, H., Proprentner, R. and Kotz, R.
Determination of methotrexate in human urine at nanomolar levels by high-performance liquid chromatography with column switching 613(1993)311
Mahara, R., see Chiba, H. 613(1993)132
Marka, C., see Jourdil, N. 613(1993)59
Martin, P. J., see Hauss, D. J. 613(1993)336
Matsuno, K., see Chiba, H. 613(1993)132
Matsuzaki, Y., see Yoshida, T. 613(1993)185
Mehta, S. C., see Hauss, D. J. 613(1993)336
Meuling, W. J. A., see Leenheers, L. H. 613(1993)89
Milley, J. R. and Sweeley, J. C.
High-performance liquid chromatographic measurement of leucine and α-ketoisocaproate in whole blood: application to fetal protein metabolism 613(1993)23
Minkler, P. E. and Hoppel, C. L.
Quantification of carnitine and specific acylcarnitines by high-performance liquid chromatography: application to normal human urine and urine from patients with methylmalonic aciduria, isovaleric acidemia or medium-chain acyl-CoA dehydrogenase deficiency 613(1993)203
Miyazaki, H., see Yoshida, T. 613(1993)185
Møller, S. E.
Quantification of physiological amino acids by gradient ion-exchange high-performance liquid chromatography 613(1993)223
Morano Okuno, C., see González-Esquivel, D. F. 613(1993)174
Muramatsu, S., see Takasaki, W. 613(1993)67

Murphey, L. J., Olsen, G. D. and Konkol, R. J.
Quantitation of benzoylnorecgonine and other cocaine metabolites in meconium by high-performance liquid chromatography 613(1993)330
Naga, S.; see Hariharan, M. 613(1993)195
Nagatsu, T., see Kajita, M. 613(1993)1
Nguyen, T. T., see O'Brien, T. 613(1993)239
Niwa, T., see Kajita, M. 613(1993)1
Niwa, T., Tohyama, K. and Kato, Y.
Analysis of polyols in uremic serum by liquid chromatography combined with atmospheric pressure chemical ionization mass spectrometry 613(1993)9
O'Brien, T., Buithieu, J., Nguyen, T. T., Klein, L., Bren, N., Wentworth, M., Hallaway, B. J. and Kottke, B. A.
Separation of high-density lipoproteins into apolipoprotein E-poor and apolipoprotein E-rich subfractions by fast protein liquid chromatography using a heparin affinity column 613(1993)239
Oda, T., see Yoshimura, Y. 613(1993)43
Odin, F., see Polverelli, M. 613(1993)257
Ohnishi, K., see Yoshimura, Y. 613(1993)43
Olsen, G. D., see Murphey, L. J. 613(1993)330
Osborn, B. L., see Holmes, K. A. 613(1993)317
Osuga, T., see Yoshida, T. 613(1993)185
Ozawa, K., see Yoshida, T. 613(1993)185
Pacheco, F., see Barnes, C. S. 613(1993)281
Pan, F.-M. and Chang, W.-C.
Purification of growth hormones by reversed-phase high-performance liquid chromatography 613(1993)326
Paolillo, M., Preda, S., Corona, G. L. and Schinelli, S.
Measurement of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in cultured rat mesencephalic neurons by high-performance liquid chromatography with electrochemical detection 613(1993)231
Pietsch, C., see Georgi, G. 613(1993)35
Pinteur, B., see Jourdil, N. 613(1993)59
Polverelli, M., Berger, M., Odin, F. and Cadet, J.
Simple chromatographic systems permitting both DNA purification and separation of 2′-deoxyribonucleoside 3′-monophosphates as substrates for $^{32}$P-postlabelling studies 613(1993)257
Portnoy, J., see Barnes, C. S. 613(1993)281
Preda, S., see Paolillo, M. 613(1993)231
Prevosto, J.-M., see Chaulet, J.-F. 613(1993)303
Proprentner, R., see Mader, R. M. 613(1993)311
Radebaugh, G. W., see Hauss, D. J. 613(1993)336
Rainer, H., see Mader, R. M. 613(1993)311
Renaud, B., see Beaudouin, C. 613(1993)51
Rizovski, B., see Mader, R. M. 613(1993)311
Robet, Y., see Chaulet, J.-F. 613(1993)303
Rohr, K., see Valenta, H. 613(1993)295
Rønn, A., see Lemnge, M. M. 613(1993)340
Rustemeier, K., Demetriou, D., Schepers, G. and Voncken, P.
High-performance liquid chromatographic determination of nicotine and its urinary metabolites via their 1,3-diethyl-2-thiobarbituric acid derivatives 613(1993)95
Sánchez Rodríguez, M., see González-Esquivel, D. F. 613(1993)174
Sawatzki, G., see Georgi, G. 613(1993)35
Schepers, G., see Rustemeier, K. 613(1993)95
Schinelli, S., see Paolillo, M. 613(1993)231
Shearer, G., see Tarbin, J. A. 613(1993)347
Shearer, G., see Tarbin, J. A. 613(1993)354
Shen, W., see Xue, H. 613(1993)247
Smiley, J. W., see Doig, M. T. 613(1993)145
Soares, O., see Chaulet, J.-F. 613(1993)303
Sohda, T., see Yoshimura, Y. 613(1993)43
Sotelo Morales, J., see González-Esquivel, D. F. 613(1993)174
Souppe, J., see Beaudouin, C. 613(1993)51
Spruit, W. E. T., see Leenheers, L. H. 613(1993)89
Steger, G. G., see Mader, R. M. 613(1993)311
Stegmeier, D. L., see Cichy, M. A. 613(1993)15
Stiff, D. D., Frye, R. F. and Branch, R. A.
Sensitive high-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in plasma 613(1993)127
Sweeley, J. C., see Milley, J. R. 613(1993)23
Takasaki, W., Asami, M., Muramatsu, S., Hayashi, R., Tanaka, Y., Kawabata, K. and Hoshiyama, K.
Stereoselective determination of the active metabolites of a new anti-inflammatory agent (CS-670) in human and rat plasma using antibody-mediated extraction and high-performance liquid chromatography 613(1993)67
Takeda, N., see Kajita, M. 613(1993)1
Tanaka, N., see Yoshida, T. 613(1993)185
Tanaka, Y., see Takasaki, W. 613(1993)67
Tanishima, K. and Kita, M.
High-performance liquid chromatographic determination of plasma ascorbic acid in relationship to health care 613(1993)275
Tarbin, J. A. and Shearer, G.
High-performance liquid chromatographic method for the determination of the anthelmintic nitroxynil in cattle muscle tissue with on-line anion-exchange clean-up 613(1993)347
Tarbin, J. A. and Shearer, G.
High-performance liquid chromatographic method for the determination of the dinitrocarbanilide component of nicarbazin in eggs with on-line clean-up 613(1993)354
Tatematsu, A., see Kajita, M. 613(1993)1
Tohma, M., see Chiba, H. 613(1993)132
Tohyama, K., see Niwa, T. 613(1993)9
Uchida, T., Usui, T., Watanabe, T. and Higuchi, S.
Simultaneous determination of a new inhibitor of acyl CoA:cholesterol acyltransferase, YM17E, and five metabolites using high-performance liquid chromatography with electrochemical detection 613(1993)179
Upadrashta, B., see Barnes, C. S. 613(1993)281
Usui, T., see Uchida, T. 613(1993)179
Valenta, H., Kühn, I. and Rohr, K.
Determination of ochratoxin A in urine and faeces of swine by high-performance liquid chromatography 613(1993)295
Van den Biggelaar-Martea, M., see De Groot, A. N. J. A. 613(1993)158
Van Dongen, P. W. J., see De Groot, A. N. J. A. 613(1993)158
VanNoord, T., see Hariharan, M. 613(1993)195

Vary, T. C., see Drnevich, D. 613(1993)137
Veening, H., see Cichy, M. A. 613(1993)15
Vincent, F., see Jourdil, N. 613(1993)59
Voncken, P., see Rustemeier, K. 613(1993)95
Vree, T. B., see De Groot, A. N. J. A. 613(1993)158
Watanabe, K., see Kajita, M. 613(1993)1
Watanabe, T., see Uchida, T. 613(1993)179
Wentworth, M., see O'Brien, T. 613(1993)239
Wijsbeek, J., see Chen, X.-H. 613(1993)289
Williams, R. S., see Hamilton, C. L. 613(1993)365
Wong, J. T.-F., see Xue, H. 613(1993)247
Xue, H., Shen, W. and Wong, J. T.-F.
Purification of hyperexpressed *Bacillus subtilis* $tRNA^{Trp}$ cloned in *Escherichia coli* 613(1993)247
Yoshida, T.
Determination of *p*-chloronitrobenzene and its metabolites in urine by reversed-phase high-performance liquid chromatography 613(1993)79
Yoshida, T., Honda, A., Tanaka, N., Matsuzaki, Y., He, B., Osuga, T., Kobayashi, N., Ozawa, K. and Miyazaki, H.
Simultaneous determination of mevalonate and 7α-hydroxycholesterol in human plasma by gas chromatography–mass spectrometry as indices of cholesterol and bile acid biosynthesis 613(1993)185
Yoshimura, Y., Ohnishi, K., Hamamura, M., Oda, T. and Sohda, T.
Automated high-performance liquid chromatographic determination of hydroxylysylpyridinoline and lysylpyridinoline in urine using a column-switching method 613(1993)43
Yoshizumi, H., see Kajita, M. 613(1993)1

# Compound Index

**Acylcarnitines**
Quantification of carnitine and specific acylcarnitines by high-performance liquid chromatography: application to normal human urine and urine from patients with methylmalonic aciduria, isovaleric acidemia or medium-chain acyl-CoA dehydrogenase deficiency 613(1993)203

**Alkaline phosphatase**
Enhanced sensitivity of immunoblotting with peroxidase-conjugated antibodies using an adsorbed substrate method 613(1993)281

**Amino acids**
High-performance liquid chromatographic determination of amino acids in protein hydrolysates and in plasma using automated pre-column derivatization with *o*-phthaldialdehyde/2-mercaptoethanol 613(1993)35

Analysis of physiological amino acids using dabsyl derivatization and reversed-phase liquid chromatography 613(1993)137

Quantification of physiological amino acids by gradient ion-exchange high-performance liquid chromatography 613(1993)223

**Angiotensin-converting enzyme**
Direct injection assay of angiotensin-converting enzyme by high-performance liquid chromatography using a shielded hydrophobic phase column 613(1993)145

**Antibodies**
Enhanced sensitivity of immunoblotting with peroxidase-conjugated antibodies using an adsorbed substrate method 613(1993)281

**Anxiolytics**
High-performance liquid chromatographic method for determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine 613(1993)105

Enantioselective determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine using high-performance liquid chromatography 613(1993)113

**Apolipoproteins**
Separation of high-density lipoproteins into apolipoprotein E-poor and apolipoprotein E-rich subfractions by fast protein liquid chromatography using a heparin affinity column 613(1993)239

**Ascorbic acid**
High-performance liquid chromatographic determination of plasma ascorbic acid in relationship to health care 613(1993)275

**Benzodiazepine glucuronides**
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162

**Benzoylecgonine**
Quantitation of benzoylnorecgonine and other cocaine metabolites in meconium by high-performance liquid chromatography 613(1993)330

**Benzoylnorecgonine**
Quantitation of benzoylnorecgonine and other cocaine metabolites in meconium by high-performance liquid chromatography 613(1993)330

**Bidesethylchloroquine**
Simultaneous determination of chloroquine and quinine in human biological fluids by high-performance liquid chromatography 613(1993)303

**Bifemelane**
Gas chromatographic–mass spectrometric method for the determination of bifemelane in human plasma at therapeutic doses 613(1993)150

**Bile acids**
Simultaneous determination of mevalonate and 7α-hydroxycholesterol in human plasma by gas chromatography–mass spectrometry as indices of cholesterol and bile acid biosynthesis 613(1993)185

**Cadaverine**
High-performance liquid chromatographic separation of biogenic polyamines using 2-(1-pyrenyl)ethyl chloroformate as a new fluorogenic derivatizing reagent 613(1993)15

**Carboxyamidotriazole**
Quantitation of human plasma levels of the anticancer agent carboxyamidotriazole by high-performance liquid chromatography 613(1993)317

***p*-Chloronitrobenzene**
Determination of *p*-chloronitrobenzene and its metabolites in urine by reversed-phase high-performance liquid chromatography 613(1993)79

**Chloroquine**
Simultaneous determination of chloroquine and quinine in human biological fluids by high-performance liquid chromatography 613(1993)303

**Chlorzoxazone**
Sensitive high-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in plasma 613(1993)127

**Cholesterol**
Simultaneous determination of mevalonate and 7α-hydroxycholesterol in human plasma by gas chromatography–mass spectrometry as indices of cholesterol and bile acid biosynthesis 613(1993)185

**Clenbuterol**
Determination of propranolol, labetalol and clenbuterol in rat brain by high-performance liquid chromatography 613(1993)121

**Clozapine**
Determination of clozapine and desmethylclozapine in human plasma by high-performance liquid chromatography with ultraviolet detection 613(1993)168

**Cocaine**
Quantitation of benzoylnorecgonine and other cocaine metabolites in meconium by high-performance liquid chromatography 613(1993)330

**Corticosterone**
Assay of human plasma cortisone by liquid chromatography: normal plasma concentrations (between 8 and 10 a.m.) of cortisone and corticosterone 613(1993)195

**Cortisone**
Assay of human plasma cortisone by liquid chromatography: normal plasma concentrations (between 8 and 10 a.m.) of cortisone and corticosterone 613(1993)195

**Cotinine**
High-performance liquid chromatographic determination of nicotine and its urinary metabolites via their 1,3-diethyl-2-thiobarbituric acid derivatives 613(1993)95

**Dapsone**
Simultaneous determination of dapsone, monoacetyldapsone and pyrimethamine in whole blood and plasma by high-performance liquid chromatography 613(1993)340

**2′-Deoxyribonucleoside 3′-monophosphates**
Simple chromatographic systems permitting both DNA purification and separation of 2′-deoxyribonucleoside 3′-monophosphates as substrates for $^{32}$P-postlabelling studies 613(1993)257

**Desmethylclozapine**
Determination of clozapine and desmethylclozapine in human plasma by high-performance liquid chromatography with ultraviolet detection 613(1993)168

**Desmethyltrimipramine**
Simultaneous determination of trimipramine and desmethyl- and hydroxytrimipramine in plasma and red blood cells by capillary gas chromatography with nitrogen-selective detection 613(1993)59

**2,2-Dimethyl-N-(2,4,6-trimethoxyphenyl)dodecanamide**
Determination of 2,2-dimethyl-N-(2,4,6-trimethoxyphenyl) dodecanamide, a lipid regulator, in rat plasma and mesenteric lymph by reversed-phase high-performance liquid chromatography 613(1993)336

**Dinitrocarbanilide**
High-performance liquid chromatographic method for the determination of the dinitrocarbanilide component of nicarbazin in eggs with on-line clean-up 613(1993)354

**DN-2327**
High-performance liquid chromatographic method for determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine 613(1993)105

Enantioselective determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine using high-performance liquid chromatography 613(1993)113

**DNA**
Simple chromatographic systems permitting both DNA purification and separation of 2′-deoxyribonucleoside 3′-monophosphates as substrates for $^{32}$P-postlabelling studies 613(1993)257

**Drugs**
Semi-automated solid-phase extraction procedure for drug screening in biological fluids using the ASPEC system in combination with Clean Screen DAU columns 613(1993)289

**Enzymes**
Assay of phenylethanolamine N-methyltransferase activity using high-performance liquid chromatography with ultraviolet absorbance detection 613(1993)51

Direct injection assay of angiotensin-converting enzyme by high-performance liquid chromatography using a shielded hydrophobic phase column 613(1993)145

**Epinine**
Presence of N-methyldopamine in parkinsonian and normal human brains 613(1993)1

**Ergometrine**
High-performance liquid chromatography of ergometrine and preliminary pharmacokinetics in plasma of men 613(1993)158

**Growth hormones**
Purification of growth hormones by reversed-phase high-performance liquid chromatography 613(1993)326

**Horse radish peroxidase**
Enhanced sensitivity of immunoblotting with peroxidase-conjugated antibodies using an adsorbed substrate method 613(1993)281

**6-Hydroxychlorzoxazone**
Sensitive high-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in plasma 613(1993)127

**7-Hydroxycholesterol**
Simultaneous determination of mevalonate and 7α-hydroxycholesterol in human plasma by gas chromatography–mass spectrometry as indices of cholesterol and bile acid biosynthesis 613(1993)185

**18-Hydroxycortisol**
Determination of urinary 18-hydroxycortisol by isocratic normal-phase high-performance liquid chromatography 613(1993)132

***trans*-3′-Hydroxycotinine**
High-performance liquid chromatographic determination of nicotine and its urinary metabolites via their 1,3-diethyl-2-thiobarbituric acid derivatives 613(1993)95

**5-Hydroxyindoleacetic acid**
Measurement of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in cultured rat mesencephalic neurons by high-performance liquid chromatography with electrochemical detection 613(1993)231

**Hydroxylysylpyridinoline**
Automated high-performance liquid chromatographic determination of hydroxylysylpyridinoline and lysylpyridinoline in urine using a column-switching method 613(1993)43

**3-Hydroxyprazepam**
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162

**Hydroxytrimipramine**
Simultaneous determination of trimipramine and desmethyl- and hydroxytrimipramine in plasma and red blood cells by capillary gas chromatography with nitrogen-selective detection 613(1993)59

**5-Hydroxytryptamine**
Measurement of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in cultured rat mesencephalic neurons by high-performance liquid chromatography with electrochemical detection 613(1993)231

**α-Ketoisocaproate**
High-performance liquid chromatographic measurement of leucine and α-ketoisocaproate in whole blood: application to fetal protein metabolism 613(1993)23

**Labetalol**
Determination of propranolol, labetalol and clenbuterol in rat brain by high-performance liquid chromatography 613(1993)121

**Leucine**
High-performance liquid chromatographic measurement of leucine and α-ketoisocaproate in whole blood: application to fetal protein metabolism 613(1993)23

**Lipoproteins**
Separation of high-density lipoproteins into apolipoprotein E-poor and apolipoprotein E-rich subfractions by fast protein liquid chromatography using a heparin affinity column 613(1993)239

**Lorazepam**
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162

**LY246708**
Sensitive liquid chromatographic method for the determination of a specific M1 agonist, LY246708, an investigational agent with potential for the treatment of Alzheimer's disease, in human plasma 613(1993)365

**Lysylpyridinoline**
Automated high-performance liquid chromatographic determination of hydroxylysylpyridinoline and lysylpyridinoline in urine using a column-switching method 613(1993)43

**M1 agonist**
Sensitive liquid chromatographic method for the determination of a specific M1 agonist, LY246708, an investigational agent with potential for the treatment of Alzheimer's disease, in human plasma 613(1993)365

**Methotrexate**
Determination of methotrexate in human urine at nanomolar levels by high-performance liquid chromatography with column switching 613(1993)311

**N-Methyldopamine**
Presence of N-methyldopamine in parkinsonian and normal human brains 613(1993)1

**Methyl 5-hydroxy-2-benzimidazole carbamate**
Determination of methyl 5-hydroxy-2-benzimidazole carbamate in urine by high-performance liquid chromatography with electrochemical detection 613(1993)89

**N-Methylnorsalsolinol**
Presence of N-methyldopamine in parkinsonian and normal human brains 613(1993)1

**N-Methylsalsolinol**
Presence of N-methyldopamine in parkinsonian and normal human brains 613(1993)1

**Mevalonate**
Simultaneous determination of mevalonate and 7α-hydroxycholesterol in human plasma by gas chromatography–mass spectrometry as indices of cholesterol and bile acid biosynthesis 613(1993)185

**Monoacetyldapsone**
Simultaneous determination of dapsone, monoacetyldapsone and pyrimethamine in whole blood and plasma by high-performance liquid chromatography 613(1993)340

**Monodesethylchloroquine**
Simultaneous determination of chloroquine and quinine in human biological fluids by high-performance liquid chromatography 613(1993)303

**Nalmefene**
Determination of nalmefene in plasma by high-performance liquid chromatography with electrochemical detection and its application in pharmacokinetic studies 613(1993)359

**Nicotine**
High-performance liquid chromatographic determination of nicotine and its urinary metabolites via their 1,3-diethyl-2-thiobarbituric acid derivatives 613(1993)95

**Nitroxynil**
High-performance liquid chromatographic method for the determination of the anthelmintic nitroxynil in cattle muscle tissue with on-line anion-exchange clean-up 613(1993)347

**Non-benzodiazepine anxiolytic**
High-performance liquid chromatographic method for determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine 613(1993)105

Enantioselective determination of DN-2327, a novel non-benzodiazepine anxiolytic, and/or its active metabolite in human plasma and urine using high-performance liquid chromatography 613(1993)113

**Norcocaine**
Quantitation of benzoylnorecgonine and other cocaine metabolites in meconium by high-performance liquid chromatography 613(1993)330

**Nordiazepam**
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162

**Ochratoxin A**
Determination of ochratoxin A in urine and faeces of swine by high-performance liquid chromatography 613(1993)295

**Oxazepam**
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162

**(±)-2-[4-(2-Oxocyclohexylidenemethyl)phenyl]propionic acid**
Stereoselective determination of the active metabolites of a new anti-inflammatory agent (CS-670) in human and rat plasma using antibody-mediated extraction and high-performance liquid chromatography 613(1993)67

**Phenylethanolamine N-methyltransferase**
Assay of phenylethanolamine N-methyltransferase activity using high-performance liquid chromatography with ultraviolet absorbance detection 613(1993)51

**Polyamines**
High-performance liquid chromatographic separation of biogenic polyamines using 2-(1-pyrenyl)ethyl chloroformate as a new fluorogenic derivatizing reagent 613(1993)15

**Polyols**
Analysis of polyols in uremic serum by liquid chromatography combined with atmospheric pressure chemical ionization mass spectrometry 613(1993)9

**Praziquantel**
Sensitive high-performance liquid chromatographic assay for praziquantel in plasma, urine and liver homogenates 613(1993)174

**Propranolol**
Determination of propranolol, labetalol and clenbuterol in rat brain by high-performance liquid chromatography 613(1993)121

**Putrescine**
High-performance liquid chromatographic separation of biogenic polyamines using 2-(1-pyrenyl)ethyl chloroformate as a new fluorogenic derivatizing reagent 613(1993)15

**Pyrimethamine**
Simultaneous determination of dapsone, monoacetyldapsone and pyrimethamine in whole blood and plasma by high-performance liquid chromatography 613(1993)340

**Quinine**
Simultaneous determination of chloroquine and quinine in human biological fluids by high-performance liquid chromatography 613(1993)303

**Spermidine**
High-performance liquid chromatographic separation of biogenic polyamines using 2-(1-pyrenyl)ethyl chloroformate as a new fluorogenic derivatizing reagent 613(1993)15

**Spermine**
High-performance liquid chromatographic separation of biogenic polyamines using 2-(1-pyrenyl)ethyl chloroformate as a new fluorogenic derivatizing reagent 613(1993)15

**Steroids**
Determination of urinary 18-hydroxycortisol by isocratic normal-phase high-performance liquid chromatography 613(1993)132

Assay of human plasma cortisone by liquid chromatography: normal plasma concentrations (between 8 and 10 a.m.) of cortisone and corticosterone 613(1993)195

**Temazepam**
Identification and quantitation of intact diastereoisomeric benzodiazepine glucuronides in biological samples by high-performance liquid chromatography 613(1993)162

**Tetrahydropapaveroline**
Determination of tetrahydropapaveroline in the urine of Parkinsonian patients receiving L-dopa–carbidopa (Sinemet) therapy by high-performance liquid chromatography 613(1993)267

**Trimipramine**
Simultaneous determination of trimipramine and desmethyl- and hydroxytrimipramine in plasma and red blood cells by capillary gas chromatography with nitrogen-selective detection 613(1993)59

**$tRNA^{Trp}$**
Purification of hyperexpressed *Bacillus subtilis* $tRNA^{Trp}$ cloned in *Escherichia coli* 613(1993)247

**Vitamin C**
High-performance liquid chromatographic determination of plasma ascorbic acid in relationship to health care 613(1993)275

**YM17E**
Simultaneous determination of a new inhibitor of acyl CoA:cholesterol acyltransferase, YM17E, and five metabolites using high-performance liquid chromatography with electrochemical detection 613(1993)179